Case 345: Narrative

Case Vehicle (A): 2000 Mercury

Type: Grand Marquis LS, 4-door sedan

Driver: 79-year-old female

CDC: 12-FCEN-3

SITUATION

12 On a clear day in a residential area, case vehicle (A) was traveling north on a two-lane road at an unknown speed. The road surface was dry, it was daylight, and the speed limit was 25 mph (40 kph). The driver of case vehicle (A) either fell asleep or had an episode of syncope, and 34 the case vehicle departed the west edge of the road, where it struck a 15-cm diameter tree with the center of the front bumper. 5 The tree was located 3-meters west of the road edge. The police report indicates B-level injuries for the driver of case vehicle (A), who was transported to the hospital. The vehicle was towed from the scene.

GENERAL VEHICLE DAMAGE AND ESTIMATED CRASH SEVERITIES

<u>6 7</u> The frontal impact with the tree resulted in 15 cm of direct damage to the center of the front bumper, with a maximum crush of 65 cm. <u>8 9 10 11 12</u> Using the WinSMASH crash-reconstruction program and c-values measured for case vehicle (A), the following impact severity was calculated for the frontal impact with the tree.

| | | Calculated Velocity Change - kph (mph) | | | |
|---------------------|----------|--|--------------|-------------|--|
| Vehicle | Variable | Total | Longitudinal | Latitudinal | |
| Case Vehicle (A) | delta V | 39 (24) | -39 (-24) | 0 (0) | |

DESCRIPTION OF DAMAGE TO CASE VEHICLE (A)

Exterior

13 14 The center portion of the front bumper was crushed rearward into the engine compartment, both corners of the bumper were drawn forward due to compression at the center of the bumper 15, and the bumper cover was completely separated from the vehicle. 16 The grille was damaged and both headlight assemblies were displaced but not broken. 17 There was direct damage to the center of the hood and it was pushed up and to the rear. The hood latch was damaged and jammed, but there was no damage to the hinges, although the rear edge of the hood was slightly elevated. 18 19 There was no damage to the windshield.

20 On the left side of the vehicle, the fender was slightly deformed. 21 There was no damage to the upper or lower portions of the left A-, B-, and C-pillars, and 22 there was also no damage to the left-side doors or door glazing, and both doors were operational. There was no damage to the left-side wheels and there was no change in the left wheelbase. There was no other damage to the left side.

23 On the right side of the vehicle, the fender was slightly deformed. 24 There was no damage to the upper or lower portions of the right A-, B-, and C-pillars, or to the right-side doors or door glazing, and both doors were operational. 25 There was no damage to the right-side wheels and there was no change in the right wheelbase. 26 There was a longitudinal scratch in the lower portion of the right-side doors that does not appear to be related to this crash.

27 There was no damage to the rear of case vehicle (A).

Interior

28 This vehicle is equipped with steering-wheel and dash-mounted frontal-impact airbags, which deployed during the frontal impact with the tree. 29 There was no damage to the steering-wheel airbag, but 30 there was a blue mark on the center

portion of the airbag fabric, possibly from the driver's coat. 31 32 There was no damage to the steering-wheel rim or hub, and there was no rotation of the steering column. 33 There was no damage to the windshield header, the roof structure, the roof headliner, the windshield, or to 34 35 the upper and mid portions of the instrument panel in the driver area. 36 37 There were scuffmarks on the lower-left portion of the driver knee bolster, and the parking-brake release lever mounted on the left-side of the driver knee bolster was bent. 38 There was also a scuffmark on the lower-right portion of the knee boslter. 39 There was no deformation to the floor in the driver area, and there was no damage to the brake or accelerator pedals. 40 There was no damage to the interior panel of the driver door.

41 In the center-front area, there was no damage to the center portions of the windshield header, to the roof, or to the roof headlining. 42 There was also no damage to the rearview mirror and the center vertical console was not deformed. 43 In the right-front seating area, the windshield header, the roof structure, and the headliner were undamaged. 44 There was no damage to the passenger frontal-impact airbag. 45 There was also no damage to the glove box and 46 there was no deformation to the floor in the right-front area.

No intrusions were noted.

OCCUPANT KINEMATICS AND INJURIES

47 The 5-ft, 4-in, 184-lb, 79-year-old female driver was using the three-point belt and the steering-wheel airbag deployed. 48 A transfer mark on the shoulder-belt webbing from the D-ring indicates that the belt was used during the crash. 49 The shoulder-belt anchor point was adjusted to the lowest position on the B-pillar, and the driver reportedly had adjusted the seat to a mid-track position. The driver reported that she fell asleep or blacked out before the crash and did not

remember anything about the crash. She was wearing eyeglasses, which were not damaged in the crash.

During the frontal impact, the restrained elderly female driver moved forward relative to the vehicle interior, into the belt restraints and airbag. 50 51 She sustained contusions to the left and right breasts, probably due to loading by the shoulder belt, or possibly from contact by the deploying airbag. 52 She sustained a laceration to the left leg, probably from contact with the parking-brake pedal, as evidenced by displacement of the pedal. 53 There was a scuffmark on the right portion of the knee bolster, but no injury was associated with this possible contact point.

The following table <u>54</u> and attached drawing summarize the injuries for the belted driver.

| Occupant: Driver | Age: 79 | Age: 79 years | | nder: Fema | ıle |
|---|-------------------|---------------|----------|----------------------------|----------|
| Restraints: 3-point belt, steering-wheel airbag | Stature: 4 in) | : 163 cm (5 | ft, Ma | Mass: 84 kg (184 lb) | |
| Injury Description | | A.I.S. | I | Injury Source | |
| _ | | | Definite | Probable | Possible |
| | | | | | |
| Contusion, left breast | | 1 | | Shoulder belt | Airbag |
| Contusion, right breast | | 1 | | Shoulder belt | Airbag |
| Laceration, left leg | | 1 | _ | Parking- brake pedal | _ |
| Maximum A.I.S. Level | | 1 | _ | _ | |
| Injury Severity Score | | 1 | _ | _ | _ |

CASE NO.: 345-02

CASE VEHICLE: 2000 Mercury


TYPE: Grand Marquis LS, 4-door sedan

OCCUPANT: (Driver) 79-year-old female

STATURE: 163 cm (5 ft, 4 in) MASS: 84 kg (184 lb)

RESTRAINTS: 3-point belt; steering-wheel airbag

SEVERITY: MAIS - 1 ISS - 1



Case No.: 345-02

Case Veh. (A): 2000 Mercury


Type: Grand Marquis LS, 4-door sedan

Driver: 79-year-old female

Weather: Clear

Road Surface: Dry Road Construction: Asphalt

Light Condition: Daylight



Vehicle Report

General

Conditions

| Variable Number and Name | Code Value | Code Description | Other Options |
|---|---------------|--------------------|---------------|
| V206 — Urban/Rural Area | 1 | Urban | more |
| V207 — Limited Access Highway | 0 | No | more |
| V208 — Road Total Lanes | 2 | 2 lanes | more |
| V209 — Intersecting Road Total Lanes | 8 | Not applicable | <u>more</u> |
| V210 — Road Surface Type | 1 | Asphalt | more |
| V211 — Road Defects | 0 | No | more |
| V212 — Construction Zone | 0 | No | more |
| V213 — Road Alignment Vertical Plane | 1 | Level | more |
| V214 — Road Alignment Horizontal Plane | 1 | Straight | more |
| V215 — Surface Covering | 10 | Dry | more |
| V216 — Visibility Limitation | 0 | None | more |
| V217 — Visibility Obstruction | 0 | None | more |
| V218 — Speed Limit | 0 | 5-45 km/h 5-25 mph | more |
| V219 — Precipitation Type | 0 | None | more |
| V220 — Precipitation Rate | 8 | Not applicable | more |
| V221 — Temperature | 9 | Unknown | more |
| V222 — Crosswind | 9 | Unknown | more |
| V223 — Light Conditions | 1 | Daylight | more |
| V224 — Mechanical Malfunction Mention | 0 | No | more |
| V225 — Case Vehicle and Object | 1 | Yes | more |

| V226 — Case Vehicle Rollover | 0 | No | more |
|---|----|----------------------------------|------|
| V227 — Case Vehicle Ran Off Roadway | 1 | Yes | more |
| V228 — Moving Case Vehicle/Contacted Moving Vehicle | 0 | No | more |
| V229 — Case Vehicle/Contacted Stopped Vehicle | 0 | No | more |
| V230 — Stopped Case Vehicle/Contactd Vehicle | 0 | No | more |
| V231 — Total Vehicles Hit By Case Vehicle | 0 | 0 vehicles | more |
| V232 — Any Fire in Crash | 0 | No | more |
| V233 — Max Police Severity- PAR | 2 | B - Non-Incapacitating Injury | more |
| V234 — Driver Alcohol Involvement | 0 | Had not been drinking | more |
| V235 — Driver Alcohol BAC | 80 | Not tested | more |
| V236 — Driver Impairment Mention | 0 | No | more |
| V237 — Driven/Towed From Scene | 2 | Towed Due to Damage | more |

Other Vehicle

| Variable Number and | | | Other |
|--|--------------|--------------------|---------|
| Name | Value | Code Description | Options |
| V301 — Other Vehicle VIN | none | _ | _ |
| V302 — Other Vehicle Manufacturer/Body Code | 99898 | _ | _ |
| V303 — Other Vehicle Manufacturer | 998 | No Other Vehicle | more |
| V304 — Other Vehicle Body Code | 98 | No Other Vehicle | more |
| V305 — Other Vehicle Make/Model | 0000 | No other vehicle | more |
| V306 — Other Vehicle Model Year | 9999 | No other vehicle | more |
| V307 — Other Vehicle Mass | 999998 | No other vehicle | more |
| V308 — Other Vehicle Number | 8 | No other vehicle | more |
| V309 — Other Vehicle Number of Occupants | 98 | No other vehicle | more |
| V310 — Other Vehicle Traveling Speed | 999 | Unknown | more |
| V311 — Highest Police Injury Severity | 8 | Unoccupied Vehicle | more |
| V312 — Other Vehicle Type | 98 | No Other Vehicle | more |
| V313 — Other Vehicle Wheelbase (cm) | 998 | No other vehicle | more |
| V314 — Average Track Width | 999 | Unknown | more |
| V315 — Overall Length | 999 | Unknown | more |
| V316 — Overall Width (OAW) | 999 | Unknown | more |
| V317 — Front Overhang (FOH) | 999 | Unknown | more |
| V318 — Rear Overhang (ROH) | 999 | Unknown | more |
| V319 — Undeformed End Width (UEW) | 999 | Unknown | more |
| V320 — Engine Displacement | 9.9 <i>l</i> | _ | _ |
| V321 — Engine: Number of | 99 | Unknown | more |

| Cylinders | | | |
|-----------------------------------|-----|---------------------------|------|
| V322 — Direct Damage Length (DDL) | 999 | Unknown | more |
| V323 — Front-End Overlap % (FEO) | 99 | Missing or Not applicable | more |
| V324 — Vehicle Overlap % (VOL) | 99 | Missing or Not applicable | more |

General

| Variable Number and Name | Code Value | Code Description | Other Options |
|---------------------------------------|--------------|-------------------------|---------------|
| V401 — VIN | 2MEFM75W7YX6 | _ | |
| V402 — Manufacturer/Body Code | 22229 | _ | _ |
| V403 — Vehicle Manufacturer | 222 | Lincoln-Mercury | <u>more</u> |
| V404 — Vehicle Body Code | 29 | _ | _ |
| V405 — Make/Model Code | 0929 | Grand Marquis | more |
| V406 — Model Year | 2000 | _ | _ |
| V407 — Vehicle Mass | 001801 kg | _ | _ |
| V408 — Odometer Reading | 888888 | _ | _ |
| V409 — Number of Occupants | 01 | _ | |
| V410 — Traveling Speed | 999 | Unknown | more |
| V411 — Body Type | 14 | 4-door sedan | more |
| V412 — Stolen Vehicle | 8 | Not currently collected | more |
| V413 — Body Structure | 2 | Unitized | more |
| V414 — Transmission Type | 1 | Automatic | more |
| V415 — Transmission Lever Location | 3 | Column | more |
| V416 — Steering | 1 | Power | more |
| V417 — Brakes | 1 | Power | more |
| V418 — Brake Type | 2 | Disc - front wheels | more |
| V419 — Brake Anti-lock Device | 2 | Four-wheel | more |
| V420 — Air Conditioning in Vehicle | 8 | Not currently collected | more |
| V421 — Drive Type | 1 | Rear wheel | more |
| V422 — Dual Rear Wheels | 0 | No | more |

| V423 — Original Restraint System Type | 3 | Airbag | more |
|--|--------------|---------------------------|------|
| V424 — Equipped With Roll Bar | 0 | No | more |
| V425 — Roof Type | 1 | Solid | more |
| V426 — Wheelbase | 291 cm | _ | _ |
| V427 — Anti-lacerative Glass | 0 | None | more |
| V428 — Average Track Width | 164 cm | _ | _ |
| V429 — Overall Length | 538 cm | _ | _ |
| V430 — Overall Width (OAW) | 199 cm | _ | |
| V431 — Front Overhang | 108 cm | _ | _ |
| V432 — Rear Overhang | 139 cm | _ | _ |
| V433 — Undeformed End Width (UEW) | 150 cm | _ | _ |
| V434 — Engine Displacement | 4.6 <i>l</i> | _ | _ |
| V435 — Engine: Number of Cylinders | 08 | _ | |
| V436 — Direct Damage Length (DDL) | 999 | Unknown | more |
| V437 — Front End Overlap % (FEO) | 99 | Missing or Not applicable | more |
| V438 — Vehicle Overlap % (VOL) | 99 | Missing or Not applicable | more |

Damage

Description

| Variable Number and Name | Code Value | Code Description | Other Options |
|--|---------------|-------------------------------|---------------|
| V501 — Maximum Crush - Front | 065 cm | _ | _ |
| V502 — Maximum Crush - Right Side | 000 cm | No crush (or less than 1 cm.) | more |
| V503 — Maximum Crush - Rear | 000 cm | No crush (or less than 1 cm.) | more |
| V504 — Maximum Crush - Left Side | 000 cm | No crush (or less than 1 cm.) | <u>more</u> |
| V505 — Maximum Crush - Roof | 000 cm | No crush (or less than 1 cm.) | more |
| V506 — Maximum Crush - Other | 000 cm | No crush (or less than 1 cm.) | more |
| V507 — Are Events In Chronological Order | 1 | Yes | <u>more</u> |
| V508 — Event 1 Impact Location | 3 | On Roadside | more |
| V509 — Event 1 Impact Configuration | 17 | FRONT of case veh - object | more |
| V510 — Event 1 Object/Vehicle Contacted | 77 | Sign post, utility pole, tree | more |
| V511 — Event 2 Impact Location | 8 | No 2nd event | more |
| V512 — Event 2 Impact Configuration | 88 | No 2nd event | more |
| V513 — Event 2 Object/Vehicle Contacted | 00 | No object/vehicle contacted | more |
| V514 — Event 3 Impact Location | 8 | No 3rd event | more |
| V515 — Event 3 Impact Configuration | 88 | No 3rd event | more |
| V516 — Event 3 Object/Vehicle Contacted | 00 | No object/vehicle contacted | more |
| V517 — Event 4 Impact Location | 8 | No 4th event | more |
| V518 — Event 4 Impact | 88 | No 4th event | more |

| Configuration | | | |
|--|-----|--------------------------------|-------------|
| V519 — Event 4 Object/Vehicle Contacted | 00 | No object/vehicle contacted | more |
| V520 — Event 5 Impact Location | 8 | No 5th event | <u>more</u> |
| V521 — Event 5 Impact Configuration | 88 | No 5th event | more |
| V522 — Event 5 Object/Vehicle Contacted | 00 | No object/vehicle contacted | more |
| V523 — Event 6 Impact Location | 8 | No 6th event | <u>more</u> |
| V524 — Event 6 Impact Configuration | 88 | No 6th event | more |
| V525 — Event 6 Object/Vehicle Contacted | 00 | No object/vehicle contacted | more |
| V526 — Event 7 Impact On Road | 8 | No 7th event | <u>more</u> |
| V527 — Event 7 Impact Configuration | 88 | No 7th event | more |
| V528 — Event 7 Object/Vehicle Contacted | 00 | No object/vehicle contacted | more |
| V529 — Primary CDC Case Vehicle -event Number | 1 | Event 1 | more |
| V530 — Primary CDC Case Vehicle - impact speed | 999 | Unknown | more |
| V531 — Primary CDC Case Vehicle - Estimated By | 1 | Investigator | more |
| V532 — Primary CDC Case Vehicle -crush | 065 | _ | _ |
| V533 — Primary CDC Case Vehicle -clock #1 | 12 | 12 o'clock | more |
| V534 — Primary CDC Case Vehicle letter 1 #1 | 06 | F - Front | more |
| V535 — Primary CDC Case Vehicle letter 2 #1 | 03 | C - Center (Front or Rear) | more |
| V536 — Primary CDC Case Vehicle letter 3 #1 | 05 | E - Everything below belt line | more |
| V537 — Primary CDC Case Vehicle letter 4 #1 | 14 | N - Narrow impact area | more |
| V538 — Primary CDC Case Vehicle Extent #1 | 03 | Extent 3 | more |

| V539 — Primary CDC Case Vehicle -CDC #1 | 12FCEN3 | | _ |
|--|---------|-----------------------------|------|
| V541 — Primary CDC Case Vehicle letter 1 #2 | 00 | Missing Data/Not applicable | more |
| V542 — Primary CDC Case Vehicle letter 2 #2 | 00 | Missing Data/Not applicable | more |
| V543 — Primary CDC Case Vehicle letter 3 #2 | 00 | Missing Data/Not applicable | more |
| V544 — Primary CDC Case Vehicle letter 4 #2 | 00 | Missing Data/Not applicable | more |
| V545 — Primary CDC Case Vehicle Extent #2 | 00 | Missing Data/Not applicable | more |
| V546 — Primary CDC Case Vehicle -CDC #2 | 9800000 | _ | _ |
| V547 — Primary CDC Contacted Vehicle - Impact Speed | 998 | Not Applicable | more |
| V548 — Primary CDC Contacted Vehicle - Estimated By | 1 | Investigator | more |
| V549 — Primary CDC Contacted Vehicle -crush | 998 | Not Applicable | more |
| V550 — Primary CDC Contacted Vehicle -clock #1 | 98 | Not Applicable | more |
| V551 — Primary CDC Contacted Vehicle letter 1 #1 | 00 | Missing Data/Not applicable | more |
| V552 — Primary CDC Contacted Vehicle letter 2 #1 | 00 | Missing Data/Not applicable | more |
| V553 — Primary CDC Contacted Vehicle letter 3 #1 | 00 | Missing Data/Not applicable | more |
| V554 — Primary CDC Contacted Vehicle letter 4 #1 | 00 | Missing Data/Not applicable | more |
| V555 — Primary CDC Contacted Vehicle Extent #1 | 00 | Missing Data/Not applicable | more |
| V556 — Primary CDC Contacted Vehicle -CDC #1 | 9800000 | _ | |
| V558 — Primary CDC Contacted Vehicle letter 1 #2 | 00 | Missing Data/Not applicable | more |
| V559 — Primary CDC Contacted Vehicle letter 2 #2 | 00 | Missing Data/Not applicable | more |
| V560 — Primary CDC Contacted Vehicle letter 3 #2 | 00 | Missing Data/Not applicable | more |

| V561 — Primary CDC Contacted Vehicle letter 4 #2 | 00 | Missing Data/Not applicable | more |
|---|---------|---------------------------------------|------|
| V562 — Primary CDC Contacted Vehicle Extent #2 | 00 | Missing Data/Not applicable | more |
| V563 — Primary CDC Contacted Vehicle -CDC #2 | 9800000 | _ | |
| V564 — Secondary CDC Case Vehicle - Event No | 8 | Not applicable | more |
| V565 — Secondary CDC Case Vehicle - Impact Speed | 998 | Not Applicable | more |
| V566 — Secondary CDC Case Vehicle - Estimated By | 8 | Not applicable (no vehicle/no impact) | more |
| V567 — Secondary CDC Case Vehicle -crush | 998 | Not Applicable | more |
| V568 — Secondary CDC Case Vehicle -clock #1 | 98 | Not Applicable | more |
| V569 — Secondary CDC Case Vehicle letter 1 #1 | 00 | Missing Data/Not applicable | more |
| V570 — Secondary CDC Case Vehicle letter 2 #1 | 00 | Missing Data/Not applicable | more |
| V571 — Secondary CDC Case Vehicle letter 3 #1 | 00 | Missing Data/Not applicable | more |
| V572 — Secondary CDC Case Vehicle letter 4 #1 | 00 | Missing Data/Not applicable | more |
| V573 — Secondary CDC Case Vehicle Extent #1 | 00 | Missing Data/Not applicable | more |
| V574 — Secondary CDC Case Vehicle -CDC #1 | 9800000 | _ | _ |
| V576 — Secondary CDC Case Vehicle letter 1 #2 | 00 | Missing Data/Not applicable | more |
| V577 — Secondary CDC Case Vehicle letter 2 #2 | 00 | Missing Data/Not applicable | more |
| V578 — Secondary CDC Case Vehicle letter 3 #2 | 00 | Missing Data/Not applicable | more |
| V579 — Secondary CDC Case Vehicle letter 4 #2 | 00 | Missing Data/Not applicable | more |
| V580 — Secondary CDC Case Vehicle Extent #2 | 00 | Missing Data/Not applicable | more |
| V581 — Secondary CDC Case Vehicle -CDC #2 | 9800000 | _ | _ |

| V582 — Secondary CDC Contacted | 998 | Not Applicable | more |
|--|---------|---------------------------------------|------|
| Vehicle - Impact Speed | | - Tr | |
| V583 — Secondary CDC Contacted Vehicle - Estimated By | 8 | Not applicable (no vehicle/no impact) | more |
| V584 — Secondary CDC Contacted Vehicle -crush | 998 | Not Applicable | more |
| V585 — Secondary CDC Contacted Vehicle -clock #1 | 98 | Not Applicable | more |
| V586 — Secondary CDC Contacted Vehicle letter 1 #1 | 00 | Missing Data/Not applicable | more |
| V587 — Secondary CDC Contacted Vehicle letter 2 #1 | 00 | Missing Data/Not applicable | more |
| V588 — Secondary CDC Contacted Vehicle letter 3 #1 | 00 | Missing Data/Not applicable | more |
| V589 — Secondary CDC Contacted Vehicle letter 4 #1 | 00 | Missing Data/Not applicable | more |
| V590 — Secondary CDC Contacted Vehicle Extent #1 | 00 | Missing Data/Not applicable | more |
| V591 — Secondary CDC Contacted Vehicle -CDC #1 | 9800000 | _ | _ |
| V593 — Secondary CDC Contacted Vehicle letter 1 #2 | 00 | Missing Data/Not applicable | more |
| V594 — Secondary CDC Contacted Vehicle letter 2 #2 | 00 | Missing Data/Not applicable | more |
| V595 — Secondary CDC Contacted Vehicle letter 3 #2 | 00 | Missing Data/Not applicable | more |
| V596 — Secondary CDC Contacted Vehicle letter 4 #2 | 00 | Missing Data/Not applicable | more |
| V597 — Secondary CDC Contacted Vehicle Extent #2 | 00 | Missing Data/Not applicable | more |
| V598 — Secondary CDC Contacted Vehicle -CDC #2 | 9800000 | _ | |

Crash Severity

| | Code | | Other |
|---|----------|--|---------|
| Variable Number and Name | Value | Code Description | Options |
| V601 — Case Vehicle Primary Impact Number | 1 | _ | _ |
| V602 — Primary Impact Total Delta-V | 039 kph | _ | |
| V603 — Primary Case Vehicle Reconstructed Longitudinal Delta- V | -039 kph | | _ |
| V604 — Primary Case Vehicle Reconstructed Lateral Delta-V | 0000 kph | _ | _ |
| V605 — Primary Case Vehicle Reconstructed Crush Energy | 0112 kJ | _ | _ |
| V606 — Primary Impact Case Vehicle -reconstuction | 22 | Reconstructed, moderate confidence level | more |
| V607 — Primary Case Vehicle Reconstruction Mode | 2 | CDC & detailed damage | more |
| V608 — Primary Contacted Vehicle Reconstructed Total Delta-V | 888 | N/A | more |
| V609 — Primary Contacted Vehicle Reconstructed Longitudinal Delta-V | 8888 | _ | _ |
| V610 — Primary Contacted Vehicle Reconstructed Lateral Delta-V | 8888 | _ | _ |
| V611 — Primary Contacted Vehicle Reconstructed Crush Energy | 8888 | _ | _ |
| V612 — Case Vehicle Secondary Impact Number | 8 | _ | _ |
| V613 — Secondary Case Vehicle Reconstructed Total Delta-V | 888 | N/A | more |
| V614 — Secondary Case Vehicle Reconstructed Longitudinal Delta- V | 8888 | _ | _ |
| V615 — Secondary Case Vehicle Reconstructed Lateral Delta-V | 8888 | _ | _ |

| Victor C 1 C VIII | | | |
|---|----------|--|------|
| V616 — Secondary Case Vehicle Reconstructed Crush Energy | 8888 | _ | _ |
| V617 — Secondary Case Vehicle Reconstruction Note | 88 | _ | |
| V618 — Secondary Case Vehicle Reconstruction Mode | 8 | Not applicable | more |
| V619 — Secondary Contacted Vehicle Reconstructed Total Delta-V | 888 | N/A | more |
| V620 — Secondary Contacted Vehicle Reconstructed Longitudinal Delta-V | 8888 | _ | _ |
| V621 — Secondary Contacted Vehicle Reconstructed Lateral Delta-V | 8888 | _ | _ |
| V622 — Secondary Contacted Vehicle Reconstructed Crush Energy | 8888 | _ | _ |
| V623 — Case Vehicle Primary Impact Number | 1 | _ | _ |
| V624 — Primary Case Vehicle Reconstructed Total EBS | 039 kph | _ | |
| V625 — Primary Case Vehicle Reconstructed Longitudinal EBS | -039 kph | _ | |
| V626 — Primary Case Vehicle Reconstructed Lateral EBS | 0000 kph | _ | _ |
| V627 — Primary Case Vehicle Reconstructed Crush Energy | 0112 kJ | _ | |
| V628 — Primary Case Vehicle Reconstruction Note | 22 | Reconstructed, moderate confidence level | more |
| V629 — Primary Case Vehicle Reconstruction Mode | 2 | CDC & detailed damage | more |
| V630 — Primary Contacted Vehicle Reconstruction Total EBS | 888 | N/A | more |
| V631 — Primary Contacted Vehicle Reconstruction Longitudinal EBS | 8888 | _ | _ |
| V632 — Primary Contacted Vehicle Reconstruction Lateral EBS | 8888 | _ | _ |

| V633 — Primary Contacted Vehicle Reconstruction Crush Energy | 8888 | | |
|--|--------|----------------|------|
| V634 — Case Vehicle Secondary Impact Number | 8 | Not applicable | more |
| V635 — Secondary Case Vehicle Reconstruction Total EBS | 888 | N/A | more |
| V636 — Secondary Case Vehicle Reconstruction Longitudinal EBS | 8888 | _ | |
| V637 — Secondary Case Vehicle Reconstruction Lateral EBS | 8888 | _ | |
| V638 — Secondary Case Vehicle Reconstruction Crush Energy | 8888 | _ | |
| V639 — Secondary Case Vehicle Reconstruction Note | 88 | _ | _ |
| V640 — Secondary Case Vehicle Reconstruction Mode | 8 | Not applicable | more |
| V641 — Secondary Contacted Vehicle Reconstruction Total EBS | 888 | N/A | more |
| V642 — Secondary Contacted Vehicle Reconstruction Longitudinal EBS | 8888 | | _ |
| V643 — Secondary Contacted Vehicle Reconstruction Lateral EBS | 8888 | | |
| V644 — Secondary Contacted Vehicle Reconstruction Crush Energy | 8888 | _ | _ |
| V645 — Case Vehicle Reconstructed Impact Number | 1 | _ | |
| V646 — Case Vehicle Impact 1 Plane | 1 | Bumper | more |
| V647 — Case Vehicle Impact 1 Direct Damage Length [DDL] | 015 cm | _ | |
| V648 — Case Vehicle Impact 1 Max Crush | 065 cm | _ | |
| V649 — Case Vehicle Impact 1 Field-L | 077 cm | _ | |
| V650 — Case Vehicle Impact 1 C1 | 000 cm | No Crush | more |

| V651 — Case Vehicle Impact 1 C2 | 025 cm | _ | _ |
|--|---------|----------|-------------|
| V652 — Case Vehicle Impact 1 C3 | 060 cm | _ | |
| V653 — Case Vehicle Impact 1 C4 | 061 cm | _ | _ |
| V654 — Case Vehicle Impact 1 C5 | 023 cm | _ | |
| V655 — Case Vehicle Impact 1 C6 | 000 cm | No Crush | more |
| V656 — Case Vehicle Impact 1 +/- D | 0000 cm | _ | |
| V657 — Case Vehicle Reconstructed Impact Number | 9 | Unknown | more |
| V658 — Case Vehicle Impact 2 Plane | 9 | Unknown | more |
| V659 — Case Vehicle Impact 2 Direct Damage Length [DDL] | 999 | Unknown | more |
| V660 — Case Vehicle Impact 2 Max Crush | 999 | Unknown | more |
| V661 — Case Vehicle Impact 2 Field-L | 999 | Unknown | more |
| V662 — Case Vehicle Impact 2 C1 | 999 | Unknown | more |
| V663 — Case Vehicle Impact 2 C2 | 999 | Unknown | <u>more</u> |
| V664 — Case Vehicle Impact 2 C3 | 999 | Unknown | more |
| V665 — Case Vehicle Impact 2 C4 | 999 | Unknown | more |
| V666 — Case Vehicle Impact 2 C5 | 999 | Unknown | more |
| V667 — Case Vehicle Impact 2 C6 | 999 | Unknown | more |
| V668 — Case Vehicle Impact 2 +/- D | 9999 | _ | _ |
| V669 — Other Vehicle Reconstructed Impact Number | 9 | Unknown | more |
| V670 — Other Vehicle Impact 1 Plane | 9 | Unknown | more |

| V671 — Other Vehicle Impact 1 | 999 | Unknown | more |
|---|------|------------|------|
| Direct Damage Length [DDL] | | Olikilowii | more |
| V672 — Other Vehicle Impact 1 Max Crush | 999 | Unknown | more |
| V673 — Other Vehicle Impact 1 Field-L | 999 | Unknown | more |
| V674 — Other Vehicle Impact 1 C1 | 999 | Unknown | more |
| V675 — Other Vehicle Impact 1 C2 | 999 | Unknown | more |
| V676 — Other Vehicle Impact 1 C3 | 999 | Unknown | more |
| V677 — Other Vehicle Impact 1 C4 | 999 | Unknown | more |
| V678 — Other Vehicle Impact 1 C5 | 999 | Unknown | more |
| V679 — Other Vehicle Impact 1 C6 | 999 | Unknown | more |
| V680 — Other Vehicle Impact 1 +/- D | 9999 | _ | |
| V681 — Other Vehicle Reconstructed Impact Number | 9 | Unknown | more |
| V682 — Other Vehicle Impact 2 Plane | 9 | Unknown | more |
| V683 — Other Vehicle Impact 2 Direct Damage Length [DDL] | 999 | Unknown | more |
| V684 — Other Vehicle Impact 2 Max Crush | 999 | Unknown | more |
| V685 — Other Vehicle Impact 2 Field-L | 999 | Unknown | more |
| V686 — Other Vehicle Impact 2 C1 | 999 | Unknown | more |
| V687 — Other Vehicle Impact 2 C2 | 999 | Unknown | more |
| V688 — Other Vehicle Impact 2 C3 | 999 | Unknown | more |
| V689 — Other Vehicle Impact 2 C4 | 999 | Unknown | more |
| V690 — Other Vehicle Impact 2 C5 | 999 | Unknown | more |

| V691 — Other Vehicle Impact 2 C6 | 999 | Unknown | more |
|--|------|---------|------|
| V692 — Other Vehicle Impact 2 +/- D | 9999 | _ | |

Tires & Rims

| Variable Number and Name | Code Value | Code Description | Other Options |
|--|------------|------------------|---------------|
| V701 — Left Front Wheel Damaged | 0 | No | more |
| V702 — Right Front Wheel Damaged | 0 | No | more |
| V703 — Right Rear Wheel Damaged | 0 | No | more |
| V704 — Left Rear Wheel Damaged | 0 | No | more |
| V705 — Left Front Tire Tread Type | 4 | All Weather | more |
| V706 — Right Front Tire Tread Type | 4 | All Weather | more |
| V707 — Right Rear Tire Tread Type | 4 | All Weather | more |
| V708 — Left Rear Tire Tread Type | 4 | All Weather | more |
| V709 — Left Front Carcass Construction | 3 | Radial | more |
| V710 — Right Front Carcass Construction | 3 | Radial | more |
| V711 — Right Rear Carcass Construction | 3 | Radial | more |
| V712 — Left Rear Carcass Construction | 3 | Radial | more |
| V717 — Left Front Tire Size | P22560R16 | _ | _ |
| V718 — Right Front Tire Size | P22560R16 | _ | |
| V719 — Right Rear Tire Size | P22560R16 | _ | _ |
| V720 — Left Rear Tire Size | P22560R16 | _ | _ |

Fuel, Tank, Fire

| Variable Number and Name | Code Value | Code Description | Other Options |
|---------------------------------------|---------------|---|---------------|
| V801 — Propulsive Fuel Type | 1 | Gasoline | more |
| V802 — Main Tank Location | 322 | Within frame/centered laterally - within vertically | more |
| V803 — Main Filler Cap Location | 113 | Left of frame laterally - above vertically | more |
| V804 — Main Tank Material | 9 | Unknown | more |
| V805 — Aux Tank Type | 8 | Not applicable (not equipped) | more |
| V806 — Aux Tank Location | 888 | Not applicable (not equipped) | more |
| V807 — Aux Filler Cap Location | 888 | Not applicable (not equipped) | more |
| V808 — Aux Tank Material | 8 | Not applicable | more |
| V901 — Fuel Leakage From Crash | 0 | No | more |
| V1001 — Fire In Or On Case Vehicle | 0 | No | more |

Case Vehicle

Exterior

| Variable Number and Name | Code Value | Code Description | Other Options |
|--------------------------------------|---------------|------------------|---------------|
| V1101 — Hood Latch Released | 0 | No | more |
| V1102 — Hood Latch Damaged | 1 | Yes | more |
| V1103 — Hood Latch Jammed | 1 | Yes | more |
| V1104 — Left Hood Hinge Damaged | 0 | No | more |
| V1105 — Left Hood Hinge Separated | 8 | Not applicable | more |

| V1106 — Right Hood Hinge Damaged | 0 | No | more |
|--|-----|---------------------------|------|
| V1107 — Right Hood Hinge Separated | 8 | Not applicable | more |
| V1108 — Hood Remained On Vehicle | 1 | Yes | more |
| V1109 — Rear Hood Edge Elevated | 1 | Yes | more |
| V1110 — Edge Contacted Windshield | 0 | No | more |
| V1111 — Edge Penetrated Windshield | 8 | Not applicable | more |
| V1112 — Hood Latch Location | 1 | Front of Vehicle | more |
| V1113 — Eng/Transmissn Mount Separation | 0 | No | more |
| V1114 — Steerng Column Flex Coupling | 9 | Unknown if equipped | more |
| V1115 — Steerng Column Coupling Damaged | 9 | Unknown | more |
| V1116 — Steerng Column Coupling Separated | 9 | Unknown | more |
| V1117 — Eng Comp Telescopng Unit | 88 | Not collected | more |
| V1118 — Comp Orig/Telescopd Diff | 888 | Not collected | more |
| V1119 — Left Side Body Mount Separation | 8 | Not applicable (unitized) | more |
| V1120 — Upper Left A-pillar Separation | 0 | No | more |
| V1121 — Lower Left A-pillar Separation | 0 | No | more |
| V1122 — Upper Left B-pillar Separation | 0 | No | more |
| V1123 — Lower Left B-pillar Separation | 0 | No | more |
| V1124 — Upper Left C-pillar Separation | 0 | No | more |
| V1125 — Lower Left C-pillar Separation | 0 | No | more |

| V1126 — Upper Left D-pillar Separation | 8 | Not applicable (not equipped) | more |
|---|---|-------------------------------|-------------|
| V1127 — Lower Left D-pillar Separation | 8 | Not applicable (not equipped) | more |
| V1128 — Left Front Door Opening Cause | 0 | Door did not open | more |
| V1129 — Left Rear Door Opening Cause | 0 | Door did not open | more |
| V1130 — Left Front Door Jammed Closed | 0 | No | more |
| V1131 — Left Rear Door Jammed Closed | 0 | No | more |
| V1132 — Rear Door Type | 0 | No door (includes pickups) | <u>more</u> |
| V1133 — Rear Door Opening Cause | 8 | Not applicable (no rear door) | more |
| V1134 — Rear Door Jammed Closed | 8 | Not applicable (no rear door) | more |
| V1135 — Luggage Partition Damagd | 0 | No | more |
| V1136 — Spare Tire Status | 8 | Not collected | more |
| V1137 — Trailer Hitch Type | 0 | No hitch | more |
| V1138 — Trailer Type | 0 | No trailer | more |
| V1139 — Right Side Body Mount Separation | 8 | Not applicable (unitized) | more |
| V1140 — Upper Right A-pillar Separation | 0 | No | more |
| V1141 — Lower Right A-pillar Separation | 0 | No | more |
| V1142 — Upper Right B-pillar Separation | 0 | No | more |
| V1143 — Lower Right B-pillar Separation | 0 | No | more |
| V1144 — Upper Right C-pillar Separation | 0 | No | more |
| V1145 — Lower Right C-pillar Separation | 0 | No | more |
| V1146 — Upper Right D-pillar Separation | 8 | Not applicable (not equipped) | more |

| V1147 — Lower Right D-pillar Separation | 8 | Not applicable (not equipped) | more |
|--|----|-------------------------------|------|
| V1148 — Right Front Door Opening Cause | 00 | Door did not open | more |
| V1149 — Right Rear Door Opening Cause | 00 | Door did not open | more |
| V1150 — Right Front Door Jammed Closed | 0 | No | more |
| V1151 — Right Rear Door Jammed Closed | 0 | No | more |
| V1152 — Van Rear Door Type | 8 | Not applicable (not a van) | more |
| V1153 — Windshield Cracked | | No | more |
| V1154 — Windshield Broken | 8 | Not applicable | more |
| V1155 — Windshield Cracked or Broken by Occupant | 8 | Not applicable | more |
| V1156 — Bond Separation Extent | 0 | None | more |
| V1157 — Windshield Code | | _ | |
| V1158 — Did Sun/T Roof Open | 8 | Not Applicable | more |

Steering

Column/Rim

| Variable Number and Name | Code Value | Code Description | Other Options |
|---|---------------|------------------|---------------|
| V1201 — Steering Wheel Rim Damage | 0 | None | more |
| V1202 — Number of Steering Wheel Spokes | 2 | 2 spokes | more |
| V1203 — Steering Wheel Spoke Damage | 0 | None | more |
| V1204 — Column Tilt Feature | 3 | Middle | more |
| V1205 — Column Swing-away Feature | 0 | Not equipped | more |

| V1206 — Column Telescoping Feature | 0 | Not equipped | more |
|--|-----|----------------------|-------------|
| V1207 — Wheel Energy Absorb Device | 8 | Not collected | <u>more</u> |
| V1208 — Wheel Ea Orig/Damaged Diff | 888 | Not collected | <u>more</u> |
| V1209 — Column Energy Absorb Device | 88 | Not collected | <u>more</u> |
| V1210 — Column Ea Orig/Comprss Diff | 888 | Not collected | more |
| V1211 — Shear Capsule Separation | 888 | Not collected | more |
| V1212 — Column Vertical Rotation | 0 | No apparent rotation | more |
| V1213 — Column Lateral Rotation | 0 | No apparent rotation | more |
| V1214 — Steering Wheel Hub Damage | 0 | None | more |

Intrusion

| Variable Number and Name | Code Value | Code Description | Other Options |
|---|---------------|---|---------------|
| V1301 — Occupant Compartment Intrusion | 0 | No | more |
| V1302 — Was Intrusion Catastrophic | 8 | Not applicable | more |
| V1303 — Intrusion Number 01 | 00 | No Intrusion, None | more |
| V1304 — Intrusion 01 Occupant Space Number | 00 | No Intrusion, None | more |
| V1305 — Intrusion 01 Intruding Object | 00 | No Intrusion, None | more |
| V1306 — Intrusion 01 Assoc Event Number | 0 | No Intrusion, None | more |
| V1307 — Intrusion 01 Max Intrusion X-axis | 00 cm | 0 cm or No Intrusion | more |
| V1308 — Intrusion 01 Max Intrusion Y-axis | 00 cm | 0 cm or No Intrusion | more |
| V1309 — Intrusion 01 Max Intrusion Z-axis | 00 cm | 0 cm or No Intrusion | more |
| V1310 — Intrusion 01 Occupant Number | 00 | No contact or no intrusion | more |
| V1311 — Intrusion 01 Injury Number | 00 | No injury or no intrusion | more |
| V1312 — Intrusion 01 Occupant Number | 00 | No contact or no intrusion | more |
| V1313 — Intrusion 01 Injury Number | 99 | Contact, injury unknown or data not collected | more |
| V1314 — Intrusion Number 02 | 00 | No Intrusion, None | more |
| V1315 — Intrusion 02 Occupant Space Number | 00 | No Intrusion, None | more |
| V1316 — Intrusion 02 Intruding Object | 00 | No Intrusion, None | more |
| V1317 — Intrusion 02 Assoc Event Number | 0 | No Intrusion, None | more |

| V1318 — Intrusion 02 Max Intrusion X-axis | 00 cm | 0 cm or No Intrusion | more |
|---|-------|---|------|
| V1319 — Intrusion 02 Max Intrusion Y-axis | 00 cm | 0 cm or No Intrusion | more |
| V1320 — Intrusion 02 Max Intrusion Z-axis | 00 cm | 0 cm or No Intrusion | more |
| V1321 — Intrusion 02 Occupant Number | 00 | No contact or no intrusion | more |
| V1322 — Intrusion 02 Injury Number | 00 | No injury or no intrusion | more |
| V1323 — Intrusion 02 Occupant Number | 00 | No contact or no intrusion | more |
| V1324 — Intrusion 02 Injury Number | 99 | Contact, injury unknown or data not collected | more |
| V1325 — Intrusion Number 03 | 00 | No Intrusion, None | more |
| V1326 — Intrusion 03 Occupant Space Number | 00 | No Intrusion, None | more |
| V1327 — Intrusion 03 Intruding Object | 00 | No Intrusion, None | more |
| V1328 — Intrusion 03 Assoc Event Number | 0 | No Intrusion, None | more |
| V1329 — Intrusion 03 Max Intrusion X-axis | 00 cm | 0 cm or No Intrusion | more |
| V1330 — Intrusion 03 Max Intrusion Y-axis | 00 cm | 0 cm or No Intrusion | more |
| V1331 — Intrusion 03 Max Intrusion Z-axis | 00 cm | 0 cm or No Intrusion | more |
| V1332 — Intrusion 03 Occupant Number | 00 | No contact or no intrusion | more |
| V1333 — Intrusion 03 Injury Number | 00 | No injury or no intrusion | more |
| V1334 — Intrusion 03 Occupant Number | 00 | No contact or no intrusion | more |
| V1335 — Intrusion 03 Injury Number | 99 | Contact, injury unknown or data not collected | more |
| V1336 — Intrusion Number 04 | 00 | No Intrusion, None | more |
| V1337 — Intrusion 04 Occupant Space Number | 00 | No Intrusion, None | more |
| V1338 — Intrusion 04 | 00 | No Intrusion, None | more |

| Intruding Object | | | |
|---|-------|---|------|
| V1339 — Intrusion 04 Assoc Event Number | 0 | No Intrusion, None | more |
| V1340 — Intrusion 04 Max Intrusion X-axis | 00 cm | 0 cm or No Intrusion | more |
| V1341 — Intrusion 04 Max Intrusion Y-axis | 00 cm | 0 cm or No Intrusion | more |
| V1342 — Intrusion 04 Max Intrusion Z-axis | 00 cm | 0 cm or No Intrusion | more |
| V1343 — Intrusion 04 Occupant Number | 00 | No contact or no intrusion | more |
| V1344 — Intrusion 04 Injury Number | 00 | No injury or no intrusion | more |
| V1345 — Intrusion 04 Occupant Number | 00 | No contact or no intrusion | more |
| V1346 — Intrusion 04 Injury Number | 99 | Contact, injury unknown or data not collected | more |
| V1347 — Intrusion Number 05 | 00 | No Intrusion, None | more |
| V1348 — Intrusion 05 Occupant Space Number | 00 | No Intrusion, None | more |
| V1349 — Intrusion 05 Intruding Object | 00 | No Intrusion, None | more |
| V1350 — Intrusion 05 Assoc Event Number | 0 | No Intrusion, None | more |
| V1351 — Intrusion 05 Max Intrusion X-axis | 00 cm | 0 cm or No Intrusion | more |
| V1352 — Intrusion 05 Max Intrusion Y-axis | 00 cm | 0 cm or No Intrusion | more |
| V1353 — Intrusion 05 Max Intrusion Z-axis | 00 cm | 0 cm or No Intrusion | more |
| V1354 — Intrusion 05 Occupant Number | 00 | No contact or no intrusion | more |
| V1355 — Intrusion 05 Injury Number | 00 | No injury or no intrusion | more |
| V1356 — Intrusion 05 Occupant Number | 00 | No contact or no intrusion | more |
| V1357 — Intrusion 05 Injury Number | 99 | Contact, injury unknown or data not collected | more |
| V1358 — Intrusion Number 06 | 00 | No Intrusion, None | more |

| V1359 — Intrusion 06 | 00 | | |
|---|-------|---|-------------|
| Occupant Space Number | 00 | No Intrusion, None | <u>more</u> |
| V1360 — Intrusion 06 Intruding Object | 00 | No Intrusion, None | more |
| V1361 — Intrusion 06 Assoc Event Number | 0 | No Intrusion, None | more |
| V1362 — Intrusion 06 Max Intrusion X-axis | 00 cm | 0 cm or No Intrusion | more |
| V1363 — Intrusion 06 Max Intrusion Y-axis | 00 cm | 0 cm or No Intrusion | more |
| V1364 — Intrusion 06 Max Intrusion Z-axis | 00 cm | 0 cm or No Intrusion | more |
| V1365 — Intrusion 06 Occupant Number | 00 | No contact or no intrusion | more |
| V1366 — Intrusion 06 Injury Number | 00 | No injury or no intrusion | more |
| V1367 — Intrusion 06 Occupant Number | 00 | No contact or no intrusion | more |
| V1368 — Intrusion 06 Injury Number | 99 | Contact, injury unknown or data not collected | more |
| V1369 — Intrusion Number 07 | 00 | No Intrusion, None | more |
| V1370 — Intrusion 07 Occupant Space Number | 00 | No Intrusion, None | more |
| V1371 — Intrusion 07 Intruding Object | 00 | No Intrusion, None | more |
| V1372 — Intrusion 07 Assoc Event Number | 0 | No Intrusion, None | more |
| V1373 — Intrusion 07 Max Intrusion X-axis | 00 cm | 0 cm or No Intrusion | more |
| V1374 — Intrusion 07 Max Intrusion Y-axis | 00 cm | 0 cm or No Intrusion | more |
| V1375 — Intrusion 07 Max Intrusion Z-axis | 00 cm | 0 cm or No Intrusion | more |
| V1376 — Intrusion 07 Occupant Number | 00 | No contact or no intrusion | more |
| V1377 — Intrusion 07 Injury Number | 00 | No injury or no intrusion | more |
| V1378 — Intrusion 07 Occupant Number | 00 | No contact or no intrusion | more |

| V1379 — Intrusion 07 Injury Number | 99 | Contact, injury unknown or data not collected | more |
|---|-------|---|-------------|
| V1380 — Intrusion Number 08 | 00 | No Intrusion, None | more |
| V1381 — Intrusion 08 Occupant Space Number | 00 | No Intrusion, None | more |
| V1382 — Intrusion 08 Intruding Object | 00 | No Intrusion, None | more |
| V1383 — Intrusion 08 Assoc Event Number | 0 | No Intrusion, None | more |
| V1384 — Intrusion 08 Max Intrusion X-axis | 00 cm | 0 cm or No Intrusion | more |
| V1385 — Intrusion 08 Max Intrusion Y-axis | 00 cm | 0 cm or No Intrusion | more |
| V1386 — Intrusion 08 Max Intrusion Z-axis | 00 cm | 0 cm or No Intrusion | more |
| V1387 — Intrusion 08 Occupant Number | 00 | No contact or no intrusion | more |
| V1388 — Intrusion 08 Injury Number | 00 | No injury or no intrusion | more |
| V1389 — Intrusion 08 Occupant Number | 00 | No contact or no intrusion | <u>more</u> |
| V1390 — Intrusion 08 Injury Number | 99 | Contact, injury unknown or data not collected | more |
| V1391 — Intrusion Number 09 | 00 | No Intrusion, None | more |
| V1392 — Intrusion 09 Occupant Space Number | 00 | No Intrusion, None | more |
| V1393 — Intrusion 09 Intruding Object | 00 | No Intrusion, None | more |
| V1394 — Intrusion 09 Assoc Event Number | 0 | No Intrusion, None | <u>more</u> |
| V1395 — Intrusion 09 Max Intrusion X-axis | 00 cm | 0 cm or No Intrusion | more |
| V1396 — Intrusion 09 Max Intrusion Y-axis | 00 cm | 0 cm or No Intrusion | <u>more</u> |
| V1397 — Intrusion 09 Max Intrusion Z-axis | 00 cm | 0 cm or No Intrusion | more |
| V1398 — Intrusion 09 Occupant Number | 00 | No contact or no intrusion | more |
| V1399 — Intrusion 09 Injury | 00 | No injury or no intrusion | more |

| Number | | | |
|---|-------|---|------|
| V1400 — Intrusion 09 Occupant Number | 00 | No contact or no intrusion | more |
| V1401 — Intrusion 09 Injury Number | 99 | Contact, injury unknown or data not collected | more |
| V1402 — Intrusion Number 10 | 00 | No Intrusion, None | more |
| V1403 — Intrusion 10 Occupant Space Number | 00 | No Intrusion, None | more |
| V1404 — Intrusion 10 Intruding Object | 00 | No Intrusion, None | more |
| V1405 — Intrusion 10 Assoc Event Number | 0 | No Intrusion, None | more |
| V1406 — Intrusion 10 Max Intrusion X-axis | 00 cm | 0 cm or No Intrusion | more |
| V1407 — Intrusion 10 Max Intrusion Y-axis | 00 cm | 0 cm or No Intrusion | more |
| V1408 — Intrusion 10 Max Intrusion Z-axis | 00 cm | 0 cm or No Intrusion | more |
| V1409 — Intrusion 10 Occupant Number | 00 | No contact or no intrusion | more |
| V1410 — Intrusion 10 Injury Number | 00 | No injury or no intrusion | more |
| V1411 — Intrusion 10 Occupant Number | 00 | No contact or no intrusion | more |
| V1412 — Intrusion 10 Injury Number | 99 | Contact, injury unknown or data not collected | more |
| V1413 — Door Intrusion Number 01 | 88 | Not Applicable | more |
| V1414 — Door Intrusion Number 01 Cause | 8 | Not applicable | more |
| V1415 — Door Intrusion Number 02 | 88 | Not Applicable | more |
| V1416 — Door Intrusion Number 02 Cause | 8 | Not applicable | more |
| V1417 — Door Intrusion Number 03 | 88 | Not Applicable | more |
| V1418 — Door Intrusion Number 03 Cause | 8 | Not applicable | more |
| V1419 — Door Intrusion 01 | 88 | Not Applicable | more |

| Component | | | |
|--|----|----------------|-------------|
| V1420 — Door Intrusion 01 Component Damaged 1 | 8 | Not Applicable | more |
| V1421 — Door Intrusion 01 Component Damaged 2 | 8 | Not Applicable | more |
| V1422 — Door Intrusion 02 Component | 88 | Not Applicable | more |
| V1423 — Door Intrusion 02 Component Damaged 1 | 8 | Not Applicable | <u>more</u> |
| V1424 — Door Intrusion 02 Component Damaged 2 | 8 | Not Applicable | <u>more</u> |
| V1425 — Door Intrusion 03 Component | 88 | Not Applicable | more |
| V1426 — Door Intrusion 03 Component Damaged 1 | 8 | Not Applicable | more |
| V1427 — Door Intrusion 03 Component Damaged 2 | 8 | Not Applicable | more |
| V1428 — Door Intrusion 04 Component | 88 | Not Applicable | more |
| V1429 — Door Intrusion 04 Component Damaged 1 | 8 | Not Applicable | <u>more</u> |
| V1430 — Door Intrusion 04 Component Damaged 2 | 8 | Not Applicable | more |

Case Vehicle

Airbag(s)

| Variable Number and Name | Code Value | Code Description | Other Options |
|---|---------------|------------------|---------------|
| V1501 — Driver Airbag Equipped | 1 | Yes | more |
| V1502 — Driver Airbag Deployed | 1 | Yes | more |
| V1503 — Driver Airbag Condition | 0 | No Damage | more |
| V1504 — Passenger Airbag Equip | 1 | Yes | more |
| V1505 — Passenger Airbag Deployed | 1 | Yes | more |
| V1506 — Passenger Airbag Condition | 0 | No Damage | more |
| V1507 — Steering Wheel Airbag Tether | 1 | Yes | more |
| V1508 — Driver Airbag Marked By Contact | 1 | Yes | more |
| V1509 — Passenger Airbag Tether | 0 | No | more |
| V1510 — Passenger Airbag Marked By Contact | 0 | No | more |

Case Vehicle

Interior

| Variable Number and Name | Code Value | Code Description | Other Options |
|---|---------------|------------------|---------------|
| V1601 — Left Front Door Damaged | 0 | No | more |
| V1602 — Right Front Door Damaged | 0 | No | more |
| V1603 — Left Front Hardware Damaged | 0 | No | more |
| V1604 — Right Front Hardware Damaged | 0 | No | more |
| V1605 — Left Front Armrest Damaged | 0 | No | more |
| V1606 — Right Front Armrest Damaged | 0 | No | more |
| V1607 — Left Front Glass Damaged | 0 | No | more |
| V1608 — Right Front Glass Damaged | 0 | No | more |
| V1609 — Left Rear Door Area Damaged | 0 | No | more |
| V1610 — Right Rear Door Area Damaged | 0 | No | more |
| V1611 — Left Rear Hardware Damaged | 0 | No | more |
| V1612 — Right Rear Hardware Damaged | 0 | No | more |
| V1613 — Left Rear Armrest Damaged | 0 | No | more |
| V1614 — Right Rear Armrest Damaged | 0 | No | more |
| V1615 — Left Rear Glass Damaged | 0 | No | more |
| V1616 — Right Rear Glass Damaged | 0 | No | more |
| V1617 — Left Roof Side Rail | 0 | No | more |

| Damaged | | | |
|---|---|----------------|-------------|
| V1618 — Right Roof Side Rail Damaged | 0 | No | <u>more</u> |
| V1619 — Left B-pillar Damaged | 0 | No | more |
| V1620 — Right B-pillar Damaged | 0 | No | more |
| V1621 — Left C-pillar Damaged | 0 | No | <u>more</u> |
| V1622 — Right C-pillar Damaged | 0 | No | more |
| V1623 — Left D-pillar Damaged | 8 | Not applicable | more |
| V1624 — Right D-pillar Damaged | 8 | Not applicable | more |
| V1625 — Left Headlining Damaged | 0 | No | more |
| V1626 — Right Headlining Damaged | 0 | No | more |
| V1627 — Left Roof Structure Damaged | 0 | No | more |
| V1628 — Right Roof Structure Damaged | 0 | No | more |
| V1629 — Left T/Sun Roof Damaged | 8 | Not applicable | more |
| V1630 — Right T/Sun Roof Damaged | 8 | Not applicable | more |
| V1631 — Other Left Side Item Damagd | 8 | Not applicable | <u>more</u> |
| V1632 — Other Right Side Item Damagd | 8 | Not applicable | more |
| V1633 — Foot Controls Damaged | 0 | No | more |
| V1634 — Ignition Key Damaged | 0 | No | more |
| V1635 — Rear View Mirror Damaged | 0 | No | more |
| V1636 — Sunvisor/Fitting Damaged | 0 | No | more |
| V1637 — Windshield Molding Damaged | 0 | No | more |

| V1638 — Left A-pillar Damaged | 0 | No | more |
|---|---|-----------------------|-------------|
| V1639 — Right A-pillar Damaged | 0 | No | more |
| V1640 — Center Console Damaged | 8 | Not applicable | more |
| V1641 — Transmission Lever Damaged | 0 | No | more |
| V1642 — Horn/Spoke Shroud Damagd | 0 | No | more |
| V1643 — Upper Panel Damaged | 0 | No | more |
| V1644 — Mid Panel Damaged | 0 | No | more |
| V1645 — Lower Panel Damaged | 3 | No, occupant contact | more |
| V1646 — Ashtray Damaged | 0 | No | more |
| V1647 — Control Knob/Lever Damaged | 0 | No | more |
| V1648 — Glove Compartment Area Damaged | 0 | No | more |
| V1649 — Instruments Damaged | 0 | No | more |
| V1650 — Park Brake Release Damaged | 4 | Yes, occupant contact | more |
| V1651 — Park Brake Pedal Damaged | 0 | No | more |
| V1652 — A/C Or Upper Vent Damaged | 0 | No | more |
| V1653 — Heater Or A/C Duct Damaged | 0 | No | more |
| V1654 — Radio Damaged | 0 | No | more |
| V1655 — Other Item Damaged | 8 | Not applicable | more |
| V1656 — Rear Window Damaged | 0 | No | more |
| V1657 — Rear Window Header Damaged | 0 | No | more |
| V1658 — Vertical Console Damaged | 0 | No | <u>more</u> |
| V1659 — Roof Console Damaged | 8 | Not applicable | more |

Case Vehicle

Seats

| Variable Number and Name | Code Value | Code Description | Other Options |
|---|---------------|---------------------------------|---------------|
| V1701 — Driver Front Seat Type | 08 | Indiv split bench - driver wide | more |
| V1702 — Passenger Front Seat Type | 09 | Indiv bench - passenger wide | more |
| V1703 — Driver Seat Mount Type | 1 | Standard | more |
| V1704 — Passenger Seat Mount Type | 1 | Standard | more |
| V1705 — Driver Swivel Mechanism Equipped | 0 | No | more |
| V1706 — Passenger Swivel Mechanism Equipped | 0 | No | more |
| V1707 — Driver Seat Original Equipment | 1 | Yes | more |
| V1708 — Passenger Seat Original Equipment | 1 | Yes | more |
| V1709 — Driver Seat/Rear Occupant Contact | 8 | Not applicable | more |
| V1710 — Passenger Seat/Rear Occupant Contact | 8 | Not applicable | more |
| V1711 — Driver Seat Damage | 0 | None | more |
| V1712 — Passenger Seat Damage | 0 | None | more |
| V1713 — Center Front Armrest Damaged | 0 | No | more |
| V1714 — Driver Seat Rotation | 0 | None apparent | more |
| V1715 — Passenger Seat Rotation | 0 | None apparent | more |
| V1716 — Driver Seat-back Type | 3 | Reclining | more |
| V1717 — Passenger Seat-back | 3 | Reclining | more |

| Type | | | |
|---|---|------------|------|
| V1718 — Driver Seat-back Lock Type | 3 | Power | more |
| V1719 — Passenger Seat-back Lock Type | 3 | Power | more |
| V1720 — Driver Seat-back Lock Held | 1 | Yes | more |
| V1721 — Passenger Seat-back Lock Held | 1 | Yes | more |
| V1722 — Driver Recliner Mechanism Held | 1 | Yes | more |
| V1723 — Passenger Recliner Mechanism Held | 1 | Yes | more |
| V1724 — Driver Head Restraint Type | 1 | Adjustable | more |
| V1725 — Passenger Head Restraint Type | 1 | Adjustable | more |
| V1726 — Driver Head Rest Removed | 0 | No | more |
| V1727 — Passenger Head Rest Removed | 0 | No | more |
| V1728 — Driver Head Rest Adjustment | 2 | Down | more |
| V1729 — Passenger Head Rest Adjustment | 2 | Down | more |
| V1730 — Driver Head Rest Damage | 0 | None | more |
| V1731 — Passenger Head Rest Damage | 0 | None | more |
| V1732 — Driver Seat Adjustment Type | 2 | Power | more |
| V1733 — Passenger Seat Adjustment Type | 2 | Power | more |
| V1734 — Driver Seat Adjustment Provided | 3 | 6-way | more |
| V1735 — Passenger Seat Adjustment Provided | 3 | 6-way | more |
| V1736 — Driver Seat Adjuster Damage | 0 | None | more |

| V1737 — Passenger Seat Adjuster Damage | 0 | None | more |
|--|---|----------------|------|
| V1738 — Driver Seat Adjuster Separation | 8 | Not applicable | more |
| V1739 — Passenger Seat Adjuster Separation | 8 | Not applicable | more |
| V1740 — Driver Seat Precrash Position | 2 | Middle | more |
| V1741 — Passenger Seat Precrash Position | 3 | Rearward | more |
| V1742 — Left Rear Seat Type | 1 | Non-folding | more |
| V1743 — Right Rear Seat Type | 1 | Non-folding | more |
| V1744 — Left Rear Seat Damaged | 0 | None | more |
| V1745 — Right Rear Seat Damaged | 0 | None | more |
| V1746 — Center Rear Armrest Damaged | 1 | Yes | more |
| V1747 — Left Rear Seat-back Left Lock Equipped | 8 | Not applicable | more |
| V1748 — Right Rear Seat- back Left Lock Equipped | 8 | Not applicable | more |
| V1749 — Left Rear Seat-back Left Lock Held | 8 | Not applicable | more |
| V1750 — Right Rear Seat- back Left Lock Held | 8 | Not applicable | more |
| V1751 — Left Rear Seat-back Right Lock Equipped | 8 | Not applicable | more |
| V1752 — Right Rear Seat- back Right Lock Equipped | 8 | Not applicable | more |
| V1753 — Left Rear Seat-back Right Lock Held | 8 | Not applicable | more |
| V1754 — Right Rear Seat- back Right Lock Held | 8 | Not applicable | more |
| V1755 — Left 3rd Seat Equipped | 0 | No | more |
| V1756 — Right 3rd Seat Equipped | 0 | No | more |

| V1757 — Left 3rd Seat Backrest Damaged | 8 | Not applicable | more |
|--|---|----------------|-------------|
| V1758 — Right 3rd Seat Backrest Damaged | 8 | Not applicable | more |
| V1759 — Left 3rd Seat Cushion Damaged | 8 | Not applicable | <u>more</u> |
| V1760 — Right 3rd Seat Cushion Damaged | 8 | Not applicable | more |
| V1761 — Rear Head Restraints | 1 | Equipped | more |

Case # 345: Occupant # 1; Injury # 1

| Variable Number and Name | Code Value | Code Description | Other Options |
|-----------------------------------|---------------|---------------------------|------------------|
| V2101 — Injury Number | 01 | Injury #1 | more |
| V2102 — 1st Prob Contact Area | 87 | Air cushion skin "airbag" | more |
| V2103 — 2nd Prob Contact Area | 34 | Restraint system webbing | more |
| V2104 — Primary OIC -body Region | 03 | Chest | more |
| V2105 — Primary OIC -aspect | 12 | Left | more |
| V2106 — Primary OIC -lesion | 03 | Contusion | more |
| V2107 — Primary OIC -system/Organ | 09 | Integumentary | more |
| V2108 — Primary OIC -severity | 1 | Minor | more |
| V2109 — Primary OIC | CLCI1 | _ | |
| V2110 — Assoc OIC 1 -body Region | 99 | No injury | more |
| V2111 — Assoc OIC 1 -aspect | 99 | No injury | more |
| V2112 — Assoc OIC 1 -lesion | 99 | No injury | more |
| V2113 — Assoc OIC 1 -system/Organ | 99 | No injury | more |
| V2114 — Assoc OIC 1 -severity | 9 | Unknown | more |
| V2115 — Assoc OIC 1 | _ | _ | |

Case # 345: Occupant # 1; Injury # 2

| Variable Number and Name | Code Value | Code Description | Other Options |
|-----------------------------------|---------------|---------------------------|------------------|
| V2101 — Injury Number | 02 | Injury #2 | more |
| V2102 — 1st Prob Contact Area | 87 | Air cushion skin "airbag" | more |
| V2103 — 2nd Prob Contact Area | 34 | Restraint system webbing | more |
| V2104 — Primary OIC -body Region | 03 | Chest | more |
| V2105 — Primary OIC -aspect | 18 | Right | more |
| V2106 — Primary OIC -lesion | 03 | Contusion | more |
| V2107 — Primary OIC -system/Organ | 09 | Integumentary | more |
| V2108 — Primary OIC -severity | 1 | Minor | more |
| V2109 — Primary OIC | CRCI1 | _ | _ |
| V2110 — Assoc OIC 1 -body Region | 99 | No injury | more |
| V2111 — Assoc OIC 1 -aspect | 99 | No injury | more |
| V2112 — Assoc OIC 1 -lesion | 99 | No injury | more |
| V2113 — Assoc OIC 1 -system/Organ | 99 | No injury | more |
| V2114 — Assoc OIC 1 -severity | 9 | Unknown | more |
| V2115 — Assoc OIC 1 | _ | _ | |

Case # 345: Occupant # 1; Injury # 3

| Variable Number and Name | Code Value | Code Description | Other Options |
|-----------------------------------|---------------|--|------------------|
| V2101 — Injury Number | 03 | Injury #3 | more |
| V2102 — 1st Prob Contact Area | 85 | Parking brake handle on floor or console | more |
| V2103 — 2nd Prob Contact Area | 00 | No Contact/not applicable | more |
| V2104 — Primary OIC -body Region | 12 | Leg (lower) | more |
| V2105 — Primary OIC -aspect | 12 | Left | more |
| V2106 — Primary OIC -lesion | 12 | Laceration | more |
| V2107 — Primary OIC -system/Organ | 09 | Integumentary | more |
| V2108 — Primary OIC -severity | 1 | Minor | more |
| V2109 — Primary OIC | LLLI1 | _ | |
| V2110 — Assoc OIC 1 -body Region | 99 | No injury | more |
| V2111 — Assoc OIC 1 -aspect | 99 | No injury | more |
| V2112 — Assoc OIC 1 -lesion | 99 | No injury | more |
| V2113 — Assoc OIC 1 -system/Organ | 99 | No injury | more |
| V2114 — Assoc OIC 1 -severity | 9 | Unknown | more |
| V2115 — Assoc OIC 1 | _ | — | |

Case # 345: Occupant # 1

| Variable Number and Name | Code Value | Code Description | Other Options |
|---|---------------|---|---------------|
| V2001 — Occupant Number | 01 | Occupant #1 | more |
| V2002 — Occupant Role At 1st Impact | 1 | Motor vehicle driver | more |
| V2003 — Occupant Position -row | 1 | 1st row | more |
| V2004 — Occupant Position -lateral | 1 | Left | more |
| V2005 — Occupant Position -posture | 10 | Sitting on seat | more |
| V2006 — Occupant Age In Years | 79 | <u> </u> | |
| V2007 — Occupant Age In Months | 25 | 25 months or older | more |
| V2008 — Occupant Mass | 084 kg | <u> </u> | _ |
| V2009 — Occupant Height | 152 cm | <u> </u> | _ |
| V2010 — Occupant Sex | 2 | Female | more |
| V2011 — Occupant Treatment/Mortality | 04 | Hospitalized over 24 hrs or for significant treatment | more |
| V2012 — Injury Severity Score | 01 | ISS 1 | more |
| V2013 — Non-impact Med Condition | 7 | Other | more |
| V2014 — Police Injury Severity | 2 | B - Non-incapacitating Injury | more |
| V2015 — Active Restraint System | 3 | Both lap belt and shoulder harness | more |
| V2016 — Active Restraint Usage | 3 | Both lap belt and shoulder harness | more |
| V2017 — Passive Restraint System | 1 | Air bag installed | more |
| V2018 — Passive Restraint Usage | 2 | Air bag deployed | more |
| V2019 — Child Seat Type | 88 | Not applicable (adult or older child) | more |
| V2020 — Occupant Ejection Degree | 0 | None | more |
| V2021 — Occupant Ejection Area | 98 | Not applicable (not ejected) | more |

| V2022 — Highest OIC Severity | 1 | Minor | more |
|----------------------------------|---|----------------------|------|
| V2023 — Head Restraint Available | 1 | Equipped | more |
| V2024 — Occupant Eyewear | 1 | Glasses | more |
| V2025 — Source of Occupant Info | 7 | Combination of above | more |







































































































